

Manufacturer&Supplier of Professional Fiber Optic Cabling System

*Products & Services & After sales services*



# Wirenet Telecom Technology Co.,Ltd

深圳威尔特通信科技有限公司

2023 VERSION

Add: 2rd floor, 2 Building,Jingheyuan Industry Park,No.2004 Xuegang Road, Bantian Street, Longgang District,  
Shenzhen, China

Tel: 86-755-28461866 Fax: 86-755-28461781

Website: <http://www.wirenetfiber.cn>






# Catolog

WIRENET

FTTH CLAMPS AND HOOKS

- S Type FTTH clamps
- Metal FTTH clamps
- Plastic FTTH clamps
- Arc shape FTTH clamps
- FTTH duckbill clmaps
- FTTH line fitting clamps
- Tension clmaps for figure 8 cable
- Hooks for FTTH clamps



## What is Drop Clamp?

The drop clamp is used for supporting one or two pairs of fiber drop wires. With an open trough, it is used to support separable strands. A shim, shell, and wedge are used to support the cable with the help of compression.

The drop clamp with its intelligent structure and form is used to provide support to different objects at a cable. In most cases, it is capable of supporting one and two pairs of telephone drop wires.

## What is application for the drop clamps?

Fiber optic drop clamp is mainly used for telecommunications.

The drop wire tension clamp is equipped with a perforated spacer to increase the tension load of the drop wire.

Stainless steel wire rings allow ODWAC drop clips to be installed on buildings, poles, strands with drive hooks, pole holders, stainless steel hooks, and other drop fittings and hardware. It can be provided separately or together with FTTH CLAMP as a component.

## Types of Drop Clamps


Drop clamps consist of two types:

- 1, Wire wrap type
- 2, Compression type

Both of the types require that the clamp does not get degraded by the signal quality by damaging the signal being carried in the cable or the insulation.



### S Type FTTH suspension clamps




Product Name	S-Type Fiber cable Clamp
Model number	Wire clamp
Weight	39.75g
Material	ABS+SUS201
Color	Black, White
Size	136*28*17.5mm
Type	FTTH Drop cable
Max Load	0.5KN
Application	FTTH system






## Metal FTTH suspension clamps

### Metal FTTH suspension clamps



1

Place Drop Cable into Shell



2

Place Shim over Drop Cable on opposite side as Shell



3

Pull Tail Wire so Wedge is deeply seated in Shell



Product Name	Round cable clamp	Flat cable clamp
Model number	Wire clamp	
Weight	45.25g	
Material	SUS201/SUS304	
Color	Metal	
Size	17.5*17.5*215mm	
Type	5.0mm Round cable	2*5 drop cable
Max Span	50M	
Application	FTTH system	



## Plastic FTTH suspension clamps

### Plastic FTTH suspension clamps



### Overview

- Plastic FTTH suspension clamps (Nylone material) is designed to fix and keep the tensile state of the fiber.
- Usually, the fiber laying around the electric transmitting line or laying on a building whose space is less than 50M.
- No special tools is required.

Product Name	Flat cable clamp
Model number	Wire clamp
Weight	33.55g
Material	Plastic
Color	Black
Size	230*27.5*27.3mm
Type	2*5 Drop cable
Max Span	50M
Application	FTTH system





## Arc shape FTTH suspension clamps

### Arc shape FTTH suspension clamps



#### Overview

Flat Optical Cable Clamp is a kind of optical fiber cabling fitting, and it is used to hold the Bowtype optical cable. In ODN aerial cable installation, the product is widely used in overhead FTTH installation.

Product Name	Arc shape FTTH cable clamp
Model number	Wire clamp
Weight	57.2g
Material	1.0mm cold stamping galvanized sheet steel with organic
Color	Metal
Size	163*15.5*30mm
Type	2pcs 2*5mm drop cable
Max Span	50M
Application	FTTH system





### FTTH Duckbill Strain Clamps with hook



Product Name	FTTH Duckbill Strain Clamps
Model number	Wire clamp
Weight	35.35g
Material	PA Plastic + SUS201
Color	Black
Size	130*21.5*50mm
Type	S/Wedge Type
Max Load	1KN
Application	For ADSS cable or FTTH drop cable 2.8~3.0mm
Max Pull Force	65KGS
Characteristic	UV Resistance and strong tensile
Function	Fixed Cable Clamp



### FTTH Line Fitting Clamp



Product Name	Drop clamp with hook
Model number	Wire clamp
Weight	33.7g
Material	PA66 Plastic + SUS201/304
Color	Black
Length	131mm*39mm*22.2mm
Type	Fish
Max Load	0.9KN
Application	For Round2-3mm cable or FTTH drop cable 2*3mm
Max Span	50M
Application	FTTH system





Tensile clamps for figure 8 cable

## Tension clamps for figure 8 cable




Type	PA05	PA08	PA09
materials	PA	Alloy metal	Alloy metal
Cable	3~7mm	3.5~6.5mm	5~10mm
Break load	2Kn	5.5Kn	8Kn





## Hooks for FTTH clamps

## Hooks for FTTH clamps





Tensile clamps for figure 8 cable


## Hooks for FTTH clamps





Tensile clamps for figure 8 cable


## Hooks for FTTH clamps





Tensile clamps for figure 8 cable

Hooks for FTTH clamps





14Years

Manufacturer&Supplier of Professional Fiber Optic Cabling System



**Thank you for your reading!**

深圳威尔特通信科技有限公司

2023 VERSION

Add: 2nd floor, 2 Building,Jingheyuan Industry Park,No.2004 Xuegang Road, Bantian Street, Longgang District, Shenzhen, China

Tel: 86-755-28461866 Fax: 86-755-28461781

Website: <http://www.wirenetfiber.cn>